



PULSE 3

PRODUCT DESCRIPTION:

PULSE 3 is a DOT 3 brake fluid formulated with polyglycol for use in hydraulic brake systems of commercial vehicles, passenger cars, and motorcycles operating under moderate conditions. It delivers effective lubrication and protection for braking systems, ensuring compatibility with seals and metals used in conventional systems. PULSE 3 provides reliable performance and system integrity for vehicles requiring DOT 3 type fluid.

APPLICATION:

PULSE 3 is a high-performance hydraulic brake fluid for use in automotive disc, drum and anti-skid brake systems and clutch systems. Please follow OEM instructions regarding brake fluid type.

FEATURES & BENEFITS

- Superior oxidative stability
- High boiling point
- Excellent low temperature fluidity ensure trouble free operation
- Effective corrosion inhibitors provide Improved life and reliability of brake system components\

PERFORMANCE MEET OR EXCEEDS:

- FMVSS 116 DOT 3
- SAE J1703
- ISO 4925 Class 3

TYPICAL PROPERTIES:

PARAMETERS	ASTM	UNIT	PULSE 3
Kinematic Viscosity @ 100C, min	D445	cSt	>15
Kinematic Viscosity @ -40C	D445	cSt	< 1500
DRY ERBP, min	D1120	°C	> 205
WET ERBP, min	D1120	°C	> 140
pH	D1287	-	7 to 11.5

DISCLAIMER: The test data presented above is indicative and not a strict specification, as it may vary within acceptable production tolerances. Internal reserves the right to update or modify this test data. For the most accurate and current information, please refer to the latest version of this Technical Data Sheet (TDS).

HEALTH & SAFETY, ENVIRONMENT:

Continuous or repeated exposure to oil may lead to skin problems. Avoid contact with the oil. In case of contact, wash thoroughly with soap and water. Do not dispose of used oil in drains or the environment. Dispose of it at an authorized used oil collection point. For additional safety information, please refer to the MSDS available on our website at www.internal.net.

PROTECT THE ENVIRONMENT:

Take used oil to an authorized collection point. Comply with local regulation. Do not discharge into drains, soil or water.